

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously presented) A process for the preparation of an MR contrast agent comprising:
 - i) obtaining a solution in a solvent of a hydrogenatable, unsaturated substrate compound and a catalyst for the hydrogenation of said substrate compound; and
 - ii) introducing said solution in droplet form into a chamber containing hydrogen gas (H_2) enriched in para-hydrogen ($p\text{-}^1H_2$) and/or ortho-deuterium ($o\text{-}^2H_2$) to hydrogenate said substrate to form a hydrogenated imaging agent.
2. (Previously presented) The process of claim 14 wherein said field strength in step (iii) is less than $50\ \mu T$.
3. (Previously presented) The process of claim 14 wherein said field strength in step (iii) is less than $1\ \mu T$.
4. (Previously presented) The process of claim 14 wherein said field strength in step (iii) is less than or equal to $0.1\ \mu T$.

5. (Previously presented) The process of claim 14 wherein said field strength in step (iii) is cycled in a first part from earth's ambient field strength to a field strength less than $0.1 \mu\text{T}$, and in a second part back to ambient field strength again.
6. (Previously presented) The process of claim 5 wherein the first part of the cycle is approximately $\leq 1 \text{ ms}$ and the second part is approximately 10-10000 ms.
7. (Previously presented) The process of claim 1 wherein said process is carried out directly in water and wherein both said substrate and said catalyst are water-soluble.
8. (Withdrawn) A hydrogenation apparatus comprising a hydrogenation chamber having a liquid outlet into a conduit leading to a liquid droplet generator inlet to a solvent removal chamber,

said hydrogenation chamber having a hydrogen inlet and a solution inlet provided with a further liquid droplet generator,

said conduit including a catalyst removal chamber between said hydrogenation chamber and said solvent removal chamber and being provided with a liquid inlet, said solvent removal chamber being provided with a gas outlet and with a liquid outlet.
9. (Withdrawn) The apparatus of claim 8 wherein said hydrogenation apparatus is further provided with magnetic shielding such that the magnetic field within at least

- part of said hydrogenation chamber and/or within at least part of said conduit is $<50 \mu\text{T}$.
10. (Withdrawn) The apparatus of claim 9 wherein said magnetic field is $<1 \mu\text{T}$.
 11. (Withdrawn) The apparatus of claim 9 wherein said magnetic field is $<0.1 \mu\text{T}$.
 12. (Withdrawn) The apparatus of claim 8 wherein said conduit is provided with a liquid inlet between said hydrogenation chamber and said catalyst removal chamber.
 14. (Previously presented) The process of claim 1 further comprising subjecting said hydrogenated imaging agent to a magnetic field having a field strength at or below the ambient magnetic field strength of the earth.
 15. (Previously presented) The process of claim 1 further comprising dissolving said imaging agent in an aqueous medium.
 16. (Currently amended) The process of claim ~~14~~15, further comprising separating said catalyst from said solution of imaging agent in aqueous medium.
 17. (Currently amended) The process of claim ~~14~~15, further comprising separating said solvent from said solution of imaging agent in aqueous medium.

Appl. No. 09/990,537

Amdt. Dated Sept. 16, 2004

Reply to Notice of Allowance of June 16, 2004

18. (Currently amended) The process of claim ~~14~~15, further comprising freezing said solution of imaging agent in aqueous medium.